


Hafta_8



```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;

namespace _05052015
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        SqlConnection b = new
SqlConnection("Server=ILKERUNAL;Database=kurs;User
Id='sa';Password='123'");
        SqlDataAdapter a = new SqlDataAdapter();
        DataSet ds = new DataSet();
        SqlDataAdapter a1 = new SqlDataAdapter();
        DataSet ds1 = new DataSet();


        private void Form1_Load(object sender, EventArgs e)
```

```

    {
        a = new SqlDataAdapter("Select name from sysobjects
where xtype='U'",b);
        ds.Clear();
        a.Fill(ds,"tablolar");
        listBox1.DataSource=ds.Tables["tablolar"];
        listBox1.ValueMember = "name";
    }

private void listBox1_DoubleClick(object sender, EventArgs
e)
{
    a1 = new SqlDataAdapter("Select * from
"+listBox1.Text,b);
    ds1 = new DataSet();
    a1.Fill(ds1,"kayit");
    dataGrid1.DataSource=ds1.Tables["kayit"];
}
}
}

```



```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

```

```

using System.Data.OleDb;

namespace _05052015
{
    public partial class Form2 : Form
    {
        public Form2()
        {
            InitializeComponent();

            OleDbConnection b = new
OleDbConnection("Provider=Microsoft.ACE.Oledb.12.0;Data
Source=D:\\hasan.xlsx;Extended Properties=Excel 12.0");
            OleDbDataAdapter a = new OleDbDataAdapter();
            DataSet ds = new DataSet();
            OleDbCommand k = new OleDbCommand();

            private void button1_Click(object sender, EventArgs e)
            {
                k.Connection = b;
                k.CommandText = "Insert Into [Sayfa1$(Ad,Soyad,Adres)
values('" +
                textBox1.Text + "','" + textBox2.Text + "','" +
textBox3.Text + "')";
                b.Open();
                k.ExecuteNonQuery();
                b.Close();

                a = new OleDbDataAdapter("Select * from [Sayfa1$]",b);
                ds.Clear();
                a.Fill(ds,"sayfa");
                dataGrid1.DataSource=ds.Tables["sayfa"];
            }
        }
    }
}

```