



```
System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;
using System.Data.OleDb;

namespace Uygulama1
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        string resim;
```

```

        OleDbConnection baglan = new
OleDbConnection("Provider=Microsoft.Jet.Oledb.4.0;Dat
a Source="+Application.StartupPath+"\\personel.mdb");
        OleDbCommand komut = new OleDbCommand();
        OleDbDataAdapter adap = new
OleDbDataAdapter();
        DataSet ds = new DataSet();

        private void gozat_Click(object sender,
EventArgs e)
        {
            openFileDialog1.ShowDialog();
            resim = openFileDialog1.FileName;
            pictureBox1.Image =
Image.FromFile(resim);
        }

        private void kaydet_Click(object sender,
EventArgs e)
        {
            komut.Connection = baglan;
            komut.CommandType = CommandType.Text;
            komut.CommandText = "Insert into
personel(ad_soyad,telefon,email,resim) values('" +
                textBox1.Text + "',''+ textBox2.Text
+ "',''+ textBox3.Text +
                "',''+ resim + "')";
            baglan.Open();
            komut.ExecuteNonQuery();
            baglan.Close();
            yukle();
        }

        public void yukle()
        {
            ds.Clear();
            adap = new OleDbDataAdapter("Select *
from personel", baglan);

```

```

        adap.Fill(ds, "personel");
        dataGridView1.DataSource =
ds.Tables["personel"];
    }

    private void Form1_Load(object sender,
EventArgs e)
    {
        yukle();
    }
    int id;
    private void dataGridView1_Click(object
sender, EventArgs e)
    {
        try
        {
            int satir =
dataGridView1.CurrentCell.RowIndex;
            id = Convert.ToInt32(dataGridView1[0,
satir].Value.ToString());
            textBox1.Text = dataGridView1[1,
satir].Value.ToString();
            textBox2.Text = dataGridView1[2,
satir].Value.ToString();
            textBox3.Text = dataGridView1[3,
satir].Value.ToString();
            pictureBox1.Image =
Image.FromFile(dataGridView1[4,
satir].Value.ToString());
            resim = dataGridView1[4,
satir].Value.ToString();

        }
        catch { }
    }

    private void degistir_Click(object sender,
EventArgs e)

```

```

        {
            komut.Connection = baglan;
            komut.CommandType = CommandType.Text;
            komut.CommandText = "Update personel set
ad_soyad='" + textBox1.Text + "',telefon='" +
                textBox2.Text + "',email='" +
textBox3.Text + "',resim='" + resim + "' where id=" +
id;

            MessageBox.Show(komut.CommandText);
            baglan.Open();
            komut.ExecuteNonQuery();
            baglan.Close();
            yukle();
        }

private void sil_Click(object sender,
EventArgs e)
{
    komut.Connection = baglan;
    komut.CommandType = CommandType.Text;
    komut.CommandText = "Delete from personel
where id=" + id;
    MessageBox.Show(komut.CommandText);
    baglan.Open();
    komut.ExecuteNonQuery();
    baglan.Close();
    yukle();
}
}
}

```