






Hafta 6







```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;

namespace hafta6
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();

            SqlConnection b = new
SqlConnection("Server=ILKERUNAL;Database=gunluk;User
Id='sa';Password='123'");
            SqlCommand k = new SqlCommand();
            SqlDataAdapter a = new SqlDataAdapter();
            DataSet ds = new DataSet();
            int id;

            private void timer1_Tick(object sender, EventArgs e)
            {
                toolStripStatusLabel1.Text = DateTime.Now.ToLongTimeString();
            }
        }
    }
}

```

```

private void toolStripButton1_Click(object sender, EventArgs e)
{
    k.Connection = b;
    k.CommandType = CommandType.StoredProcedure;
    k.CommandText = "kayit";
    k.Parameters.AddWithValue("@saat",maskedTextBox1.Text);

k.Parameters.AddWithValue("@tarih",monthCalendar1.SelectionEnd.ToShortDat
eString());
    k.Parameters.AddWithValue("@mesaj",textBox1.Text);
    b.Open();
    k.ExecuteNonQuery();
    b.Close();
    k.Parameters.Clear();
    kayit_goster();
}

public void kayit_goster()
{
    a = new SqlDataAdapter("Select * from mesaj",b);
    ds.Clear();
    a.Fill(ds,"mesaj");
    dataGridView1.DataSource=ds.Tables["mesaj"];
}

private void Form1_Load(object sender, EventArgs e)
{
    kayit_goster();
}

private void toolStripComboBox1_TextChanged(object sender,
EventArgs e)
{
    a = new SqlDataAdapter("Select * from mesaj where mesaj
like'%" +toolStripComboBox1.Text+"%", b);
    ds.Clear();
    a.Fill(ds, "mesaj");
    dataGridView1.DataSource = ds.Tables["mesaj"];
}

private void dataGridView1_CellClick(object sender,
DataGridViewCellEventArgs e)
{
    try
    {
        int satir = dataGridView1.CurrentRow.RowIndex;
        id =
Convert.ToInt32(dataGridView1[0,satir].Value.ToString());
        maskedTextBox1.Text = dataGridView1[1,
satir].Value.ToString();
    }
}

```

```

        textBox1.Text = dataGridView1[3, satir].Value.ToString();
        List<DateTime> liste=new List<DateTime>();
        liste.Add(DateTime.Parse(dataGridView1[2,
satir].Value.ToString()));
        monthCalendar1.BoldedDates = liste.ToArray();
    }
    catch
    {

    }
}

private void toolStripButton2_Click(object sender, EventArgs e)
{
    k.Connection = b;
    k.CommandType = CommandType.StoredProcedure;
    k.CommandText = "degistir";
    k.Parameters.AddWithValue("@id",id);
    k.Parameters.AddWithValue("@saat", maskedTextBox1.Text);
    k.Parameters.AddWithValue("@tarih",
monthCalendar1.SelectionEnd.ToShortDateString());
    k.Parameters.AddWithValue("@mesaj", textBox1.Text);
    b.Open();
    k.ExecuteNonQuery();
    b.Close();
    k.Parameters.Clear();
    kayit_goster();
}

private void toolStripButton3_Click(object sender, EventArgs e)
{
    k.Connection = b;
    k.CommandType = CommandType.StoredProcedure;
    k.CommandText = "sil";
    k.Parameters.AddWithValue("@id", id);
    b.Open();
    k.ExecuteNonQuery();
    b.Close();
    k.Parameters.Clear();
    kayit_goster();
}
}
}
}

```